

Presented to the L. H. Bailey Hortorium
by the Missouri Botanical Garden, 1972.

Revised Edition.

CATALOGUE FOR 1849,
OF A FINE COLLECTION
OF
FLORICULTURAL,
VEGETABLE, AND AGRICULTURAL
SEEDS,

COMPRISING, IN ALL, UPWARDS OF
1800 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS.

*In giving orders for Flower Seeds it is quite sufficient to mention the numbers
without the names; but as the numbers are changed every year, it
is absolutely necessary to say from the Catalogue for 1849.*

*See Page 4, German Assortments, and Pages 5 to 27, Miscellaneous Flower Seeds,
all of which are numbered.*

THE

LIST OF VEGETABLE SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

**JAMES CARTER,
SEEDSMAN AND FLORIST,**

238, HIGH HOLBORN, LONDON.

** The German Seeds are from the original source.

Jan. 1, 1849.



THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; hh. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; hha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; gh. and hgh. *green or hothouse*; sa. *stove annual*; lb. *hardy biennial*; hbb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*; cl. *climber*.

7th Column.—*Usual month of flowering*: 6, *June*; 6-9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. *Packets may be had of those marked 3d.*, &c.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May and June. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots | ... | ... | ... | ... | ... indicate a repetition; *pl. plures*, many; *ex*, from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. <i>Stamens (male organs) equal.</i>		c. <i>Stamens united in sets.</i>	
	No. 1. Monandria .	1 <i>stamen</i>	16. Monadelphia, 1 <i>set</i>	
	2. Diandria .	2 <i>stamens</i>	17. Diadelphia, 2 <i>sets</i>	
	3. Triandria .	3 "	18. Polyadelphia, many <i>sets</i>	
	4. Tetrandria .	4 "	d. <i>Compound Flowers (Asters, &c.).</i>	
	5. Pentandria .	5 "	19. Syngenesia	
	6. Hexandria .	6 "	e. <i>Stamens on the style.</i>	
	7. Heptandria .	7 "	20. Gynandria	
	8. Octandria .	8 "	f. <i>Male and female separated.</i>	
	9. Enneandria .	9 "	21. Monœcia, on one <i>plant</i>	
	10. Decandria .	10 "	22. Dioœcia, on different <i>plants</i>	
	11. Dodecandria 12 to 19 S. in the cup		g. <i>Male, female, and hermaphrodite flowers, on one or different plants.</i>	
	12. Icosandria 20 or more S. on the base		23. Polygamia, many <i>marriages</i>	
	13. Polyandria, many <i>Stamens</i>		h. <i>Flowers wanting, or incomplete.</i>	
	b. <i>Stamens unequal.</i>		24. Cryptogamia, hidden <i>marriages</i>	
14. Didynamia, 2 <i>long</i> , 2 <i>short</i>		(Ferns, Mosses, &c.).		
15. Tetradynamia, 4 ,, 2 ,,				

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

- | | | | |
|--|-------------|-----------------------------------|--|
| a. Orders founded on the Styles, or female organs. | | c. On the sets of Stamens. | |
| No. 25. Monogýnia | . 1 style | No. 49. Monadelphía, 1 set | |
| 26. Digýnia | . 2 styles | d. Styles and stamens united. | |
| 27. Di-pentagýnia | 2 to 5 " | 50. Gynandria | |
| 28. Trigýnia | . 3 " | c. Male and female separate. | |
| 29. Tetragýnia | . 4 " | 51. Monoc'cia, on one plant | |
| 30. Pentagýnia | . 5 " | 52. Dico'cia, on different plants | |
| 31. Hexagýnia | . 6 " | f. On the Polygamy. | |
| 32. Heptagýnia | . 7 " | 53. { Polygámia æqualis, or | |
| 33. Decagýnia | . 10 " | { Equal Polygamy | |
| 34. Dodecagýnia | . 12 " | 54. { Polygámia superflua | |
| 35. Polygýnia | many " | { Superfluous Polygamy | |
| b. On the Stamens (male organs). | | 55. { Polygámia frustrænea | |
| 36. Monan'dria | . 1 stamen | { Frustrated Polygamy | |
| 37. Diandria | . 2 stamens | 56. { Polygámia necessari | |
| 38. Triandria | . 3 " | { Necessary Polygamy | |
| 39. Tetrandria | . 4 " | 57. { Polygámia segregata | |
| 40. Pentandria | . 5 " | { Separated Polygamy | |
| 41. Hexandria | . 6 " | g. On the Seeds. | |
| 42. Heptandria | . 7 " | 58. { Gymnosper'mia | |
| 43. Octandria | . 8 " | { Naked seeds | |
| 44. Emcandria | . 9 " | 59. Angiosper'mia, in a capsule | |
| 45. Decandria | . 10 " | h. On the Pods. | |
| 46. Dodecandria | . 12 " | 60. Siliculösa, a small pod | |
| 47. Icosandria | . 20 " | 61. Siliquösa, a long pod. | |
| 48. Polyandria | many " | | |

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthæcæ	85. Compösite	108. Limnanthæcæ	131. Proteæcæ
63. Amaranthæcæ	86. Coniferæ	109. Linæcæ	132. Ranunculæcæ
64. Amaryllidæcæ	87. Convolvulæcæ	110. Loasæcæ	133. Resedæcæ
65. Anonæcæ	88. Crassulæcæ	111. Lobeliæcæ	134. Rhamnæcæ
66. Apocynæcæ	89. Cruciferae	112. Loranthæcæ	135. Rosæcæ
67. Arabiæcæ	90. Cucurbitæcæ	113. Lythraeæ	136. Rubiæcæ
68. Aristolochiæcæ	91. Dipsacæ	114. Marantæcæ	137. Rutæcæ
69. Asclepiadæcæ	92. Eparridiæcæ	115. Malvæcæ	138. Sapindæcæ
70. Balsaminæcæ	93. Ericæcæ	116. Myrtæcæ	139. Scrophulariæcæ
71. Begoniæcæ	94. Euphorbiæcæ	117. Nyctaginæ	140. Sesamæcæ
72. Berberidæcæ	95. Ficoideæ	118. Nymphæcæ	141. Silenæcæ
73. Bignoniæcæ	96. Fumariæcæ	119. Onagrariæ	142. Smilacæcæ
74. Bombacæcæ	97. Francoæcæ	120. Magnoliæcæ	143. Solanæcæ
75. Boraginæcæ	98. Graminæcæ	121. Malanthæcæ	144. Stylidiæcæ
76. Bythneriæcæ	99. Gentianæcæ	122. Papaveræcæ	145. Thymelæcæ
77. Cactæcæ	100. Geraniæcæ	123. Passifloræcæ	146. Tropealæcæ
78. Campanulæcæ	101. Gesneriæcæ	124. Pittosporæcæ	147. Tulipæcæ
79. Caprarinæcæ	102. Hydrophyllæcæ	125. Plumbaginæcæ	148. Umbelliferæcæ
80. Caprifoliæcæ	103. Iridæcæ	126. Polemoniæcæ	149. Valerianæcæ
81. Celastrinæcæ	104. Jasinæcæ	127. Polygalæcæ	150. Verbenæcæ
82. Cistæcæ	105. Labiatæ	128. Polygonæcæ	151. Violæcæ
83. Cobæcæ	106. Leguminosæ	129. Portulacæcæ	152. Zygophyllæcæ
84. Commelinæcæ	107. Liliæcæ	130. Primulæcæ	

The names of the Natural Orders ending in *æ* are chiefly derived from Generic Names, as *CAMPANULÆCÆ* from *CAMPANULA*; such as end in *æ* only are not, as *COMPOSITEÆ*, *LABIATEÆ*, &c.

ASSORTMENTS

OF

GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

These Seeds warranted to equal, if not surpass, any in the Kingdom.

No.	h. <i>hardy</i> ; hh. <i>half-hardy</i> ; t. <i>tender</i> ; a. <i>annual</i> ; b. <i>biennial</i> ; p. <i>perennial</i> .	s. d.
1	24 splendid varieties of German Aster, separate, <i>hha.</i>	6 0
2	24 do. do. do. do.smaller packets	3 0
3	12 do. do. do. do.	3 0
4	12 do. do. do. do.smaller packets	1 6
5	16 superb new Globe do. do.	4 0
6	16 do. do. do. do.smaller packets	2 0
7	8 do. do. do. do.	2 0
8	8 do. do. do. do.smaller packets	1 0
9	12 new double Pyramidal do. do.	3 0
10	12 do. do. do. do.smaller packets	1 6
11	8 new Globe Pyramidal do. do.	2 0
12	8 do. do. do. do.smaller packets	1 0
13	60 splendid German Aster, comprising Nos. 1, 5, 9, 11	13 0
14	60 do. do. do. Nos. 2, 6, 10, 12smaller packets	6 6
15	30 do. do. do. half of No. 13	7 0
16	30 do. do. do. do.smaller packets	3 6
17	24 beautiful new dwarf German Aster, separate.....	6 0
18	24 do. do. do. do.smaller packets	3 0
19	12 do. do. do. do.	3 0
20	12 do. do. do. do.smaller packets	1 6
21	24 extra fine dwarf German Stock, separate, <i>hha.</i>	7 0
22	24 do. do. do. do.smaller packets	3 6
23	12 do. do. do. do.	4 0
24	12 do. do. do. do.smaller packets	2 0
25	12 finest branching Nosegay do. do.	3 0
26	12 do. do. do. do.smaller packets	1 6
27	12 very fine wallflower-leaved or Prussian Stock, separate	3 0
28	12 do. do. do. do. do.smaller packets	1 6
29	60 fine German Stock, comprising Nos. 21, 25, 27	15 0
30	60 do. do. do. separate Nos. 22, 26, 28	7 6
31	30 do. do. do. the half of No. 29	8 0
32	30 do. do. do. separate	4 0
33	12 finest new Antirrhinum or Snapdragon, <i>hp.</i>	2 6
34	20 beautiful double Balsam, <i>ta.</i> or <i>greenhouse.</i>	5 0
35	50 finest Carnation, 5 of each	12 0
36	10 Coek'scomb, <i>ta.</i>	3 6
37	10 finest Elichrysium or Xeranthemum, <i>hha.</i>	3 0
38	40 extra fine double Hollyhock, <i>hp.</i>	6 0
39	20 do. do.	3 0
40	12 finest double dwarf Rocket Larkspur, <i>ha.</i>	2 6
41	12 do. do. tall do. <i>ha.</i>	2 6
42	12 finest varieties of Marigold, <i>hha.</i>	3 0
43	16 beautiful new Petunia, <i>hhp.</i>	5 0
44	12 extra fine new varieties of <i>Phlox Drummondii</i> , <i>hha.</i>	5 0
45	16 extra fine double Poppy, <i>ha.</i>	3 6
46	12 beautiful Salpiglossis, <i>hha.</i>	3 6
47	12 splendid new Scabious, <i>hp.</i>	3 0
48	12 finest biennial Stock, <i>hhb.</i>	3 0
49	12 do. do.smaller packets	1 6
50	16 superb new Wallflower, <i>hp.</i>	6 0
51	16 do. do.smaller packets	3 0
52	8 do. do.	3 0
53	8 do. do.smaller packets	1 6
54	24 splendid <i>Zinnia elegans</i> , <i>hha.</i>	8 0
55	12 do. do.	4 0

A — indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price
No.							feet		s. d.
96	<i>Androsæea coronopifolia</i>	<i>Buck'shorn-leaved</i>	5	25	130	hp†	$\frac{1}{2}$	5-6	3
97	<i>Anemone coronaria</i>	<i>garland (Poppy)</i>	13	35	132	...	div.	5-7	6
98	— chinensis	<i>Chinese</i>	6
99	<i>Hudsoniana</i>	<i>(Hudson's Bay)</i>	wh.	6
100	<i>narcissiflora</i>	<i>Narcissus-flowered</i>	6
101	<i>Pulsatilla</i>	<i>(Pasque-flower)</i>	vio.	$\frac{1}{2}$	4-5	6
102	<i>sulphurea</i>	<i>sulphur-coloured</i>	sul.	6
103	<i>Anoda Dilleniana</i>	<i>Dillenius's</i>	16	48	115	ha	$1\frac{1}{2}$	7-8	3
104	<i>Anomatheca cruenta</i>	<i>blood-red</i>	3	25	103	hlp	red	1	6-8
105	<i>Anthericum annuum</i>	<i>annual</i>	6	...	107	ha	yel.	$\frac{3}{4}$	7-8
106	<i>Antirrhinum Majus</i>	<i>Snapdragon, tall</i>	14	59	139	hp†	div.	2	6-9
107	— alba grandiflorum	— large white fl.	wh.	6
108	— albo-striatum	— striped white	w&r	6
109	— aurantiacum	— orange	or.	6
110	— caryophylloides	— Carnation-like	str.	3
111	— — flavum	— yell. Carnation	6
112	— — coccineum	— scarlet	sc.	3
113	— — eximium	— choice	var.	6
114	— — ochroleucum	— yellowish white	y. w.	3
115	— — pictum	— painted	var.	3
116	— — —	Nos. 107 to 115	div.	2
117	— — —	<i>splendid mixed</i>	6
118	<i>Aquilegia canadensis</i>	<i>Canadian</i>	13	30	132	r & o.	...	5-7	3
119	— — elatior	<i>taller</i>	$2\frac{1}{2}$...	3
120	— — formosa	<i>beautiful</i>	2	...	6
121	— — glandulosa	<i>glandular</i>	w&b	3
122	— — sibirica plena	<i>Siberian double</i>	bl.	3
123	— — Skinneri	<i>Skinner's</i>	y & s	6
124	— — viridiflora	<i>green-flowered</i>	gr.	3
125	— — —	<i>6 finest sorts</i>	div.	1
126	— — —	<i>finest mixed</i>	6
127	<i>Arabis caucasica</i>	<i>Caucasian</i>	15	61	89	wh.	$\frac{3}{4}$...	3
128	— — rosea	<i>rose-coloured</i>	rose	3
129	<i>Aralia japonica</i>	<i>Japan</i>	5	30	67	S.	1
130	<i>Ardisia crenulata</i>	<i>crenulated</i>	...	25	...	red	8	7-9	6
131	— — umbellata	<i>bunch-flowered</i>	6	...	6
132	<i>Argemone grandiflora</i>	<i>large-flowered</i>	13	...	122	ha	wh.	2	7-8
133	— — mexicana	<i>Mexican</i>	yel.	3
134	— — ochroleuca	<i>yellowish white</i>	palc	3
135	— — —	<i>fine mixed</i>	w&y	3
136	<i>Armeria formosa</i>	<i>beautiful</i>	5	30	125	hp	rose	1	...
137	<i>Artobotrys odoratissima</i>	<i>sweetest-scented</i>	13	25	65	S.	br.	6	6-8
138	<i>Arundinaria falcata</i>	<i>sickle-shaped</i>	3	26	98	...	gr.	...	1
139	<i>Asclepias curassavica</i>	<i>Curassao</i>	5	...	69	sgl	sc.	$2\frac{1}{2}$	7-8
140	— — ornata	<i>ornamented</i>	6
141	— — tuberosa	<i>tuberous</i>	or.	2	...	6
142	<i>Aster tenellus*</i>	<i>slender*</i>	19	54	85	hlf†	bl.	$\frac{3}{4}$...
143	<i>Athanasia annua</i>	<i>annual</i>	...	53	...	ha	yel.	$\frac{1}{2}$...
144	<i>Aulax</i>	<i>2 fine species</i>	22	39	131	G.	...	2	7-9
145	<i>Azalea indica</i>	<i>Indian</i>	5	25	93	S.	div.	3	5-7
146	— — pontica	<i>Pontic</i>	hp	1
147	<i>Balsamina latifolia</i>	<i>broad-leaved</i>	...	30	70	G.	red	$1\frac{1}{2}$	6-9
148	<i>Baptisia australis</i>	<i>southern</i>	10	25	106	hp	bl.	$2\frac{1}{2}$	6-8
149	— — perfoliata	<i>perfoliated</i>	G.	yel.	3	7-8
150	<i>Bartonia anrea</i>	<i>golden</i>	13	...	110	ha	...	2	7-9
151	<i>Bauhinia</i>	<i>4 fine species</i>	10	...	106	S.	1
152	<i>Begonia fuchsioides</i>	<i>Fuchsia-like</i>	21	48	71	...	sc.	2	5-7
153	<i>Bignonia</i>	<i>fine mixed</i>	14	59	73	...	o & y	cl.	7-9
154	— — radicans grandiflora**	<i>large-flowered</i>	hlp	or.	...	6
155	— — stipularis**	<i>stipuled</i>	S.	1

A— indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
156	Blumenbáchia insignis		18 48	110	ha	wh.	tr.	7-8	6
157	Bomària acutifolia*		6 25	64	hpt	r & y	cl.	6-9	6
158	— — —		div.	6
159	Braehyèômè iberidifolia		19 54	85	hha	bl.	l $\frac{1}{2}$	6-8	6
160	— alba		wh.	6
161	— albo-flàva		w & y	6
162	— albo-lilacina		w & l	6
163	— cinerariæflòra		div.	6
164	— lilacina flàva		l & y	6
165	— striatiflòra		str.	6
166	— — —		div.	...	2	6
167	— — —		6
168	Brodiaea congesta		3 25	107	hp	bl.	1	7-8	6
169	Browallia demissa		14 59	139	gha	3
170	elàta		2	...	3
171	— alba		wh.	3
172	Brugmansia arbòrea		5 25	143	G.	wh.	6	7-9	1 0
173	bicolor		s & y	1 0
174	Bubròma gnazùma		18 45	76	S.	yel.	20	8-9	6
175	Cacàlia cœcinea*		19 53	85	hha	sc.	$\frac{3}{4}$	7-8	3
176	— aurantiaea*		or.	3
177	Cactus		12 25	77	ghh	div.	div.	6-9	1 0
178	Calamipellis scabra**		14 59	73	G.	or.	cl.	...	6
179	Calandrinia discolor		11 25	129	hha	rose	l $\frac{1}{2}$	7-8	6
180	glandulosa		3
181	grandiflora		p. r.	l $\frac{1}{2}$...	3
182	speciosa		pur.	$\frac{1}{2}$...	3
183	umbellata		er.	6
184	Calceolaria pinnata		2	139	...	yel.	l $\frac{1}{2}$...	3
185	hybrida		G. div.	2	...	1 0
186	sp. frutescens		hlp†	yel.	...	6
187	Calliandroa platyglossa		19 56	85	hha	...	1	...	3
188	Calliopsis (Coreopsis)		...	55	...	div.	2	...	6
189	bicolor		y & r	3
190	Ackermanni		o & r	3
191	— atrosanguinea		d. r.	3
192	— fistulosa		y & r	3
193	— grandiflora		3
194	— nigra speciosa		dark	3
195	— scniplena		y & r	3
196	Drummondii*		y & d.	1	...	3
197	Atkinsoniana		hp	yel.	3	...	3
198	— — —		div.	2	...	2 0
199	Campánula carpática		5 25	78	hpt	bl.	$\frac{1}{2}$...	3
200	grandiflora		1	...	6
201	grandis		3
202	maeranthera		pur.	3	...	3
203	puleherrina		bl.	1	...	3
204	pyramidalis		l. bl.	3	...	3
205	— alba		wh.	3
206	sibirica		bl.	1	...	3
207	stricta		l $\frac{1}{2}$...	3
208	Trachelium, albiflora		wh.	2 $\frac{1}{2}$...	6
209	— bicolor plena		w. bl.	6
210	— — —		div.	div.	...	3 0
211	— — —		6
212	Lorei		ha	bl.	1	...	3
213	— alba		wh.	3
214	pentagonia		bl.	3
215	— alba		wh.	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet	s. d.	
216	<i>Canna angustifolia</i>		1 25	114	S.	sc.	2	5-6	6
217	<i>aurantiaca</i>		or.	4	1-12	6
218	<i>coccinea</i>		sc.	2	...	6
219	<i>flaccida</i>		red	5	6-8	6
220	<i>floribunda</i>		6
221	<i>gigantea</i>		r & y	5	1-12	6
222	<i>glauca</i>		y & r	4	6-8	6
223	<i>humilis</i>		6
224	<i>indica</i>		red	2	1-12	6
225	<i>iridiflora</i>		6	...	6
226	<i>leptochila</i>		6
227	<i>lutea</i>		yel.	2	...	6
228	<i>picta</i>		6
229	<i>procera</i>		6
230	<i>speciosa</i>		red	3	7-9	6
231	<i>spectabilis</i>		6
232	<i>variabilis</i>		var.	3	5-6	6
233	— — —		div.	div.	div.	5 0
234	— — —		2 6
235	— — —		1 0
236	<i>Cardiospermum halicacabum</i>		8 28	138	...	w & g	4	6-8	6
237	<i>Carthamus tinctorius</i>		19 53	85	ha	or.	3	7-8	3
238	<i>maculatus</i>		spot	3
239	<i>Cassia corymbosa</i>		10 53	106	G.	yel.	4	...	6
240	<i>bicapsularis</i>		S.	...	3	...	6
241	<i>Castilleja lithospermoides</i>		14 59	139	hha	...	2	...	6
242	<i>Catananche lutea</i>		19 53	85	ha	yel.	1	...	3
243	<i>caerulea</i>		hpt	bl.	2	...	3
244	— bicolor		w & b	3
245	<i>Celastrus, sp. ex Assam</i>		5 25	81	G.	...	4	7-8	1 0
246	<i>Celsia Areturus</i>		14 59	143	hbt	yel.	6	...	3
247	<i>cretica</i>		6	...	3
248	<i>incarnata</i>		hhpt	fl.	1½	...	3
249	<i>lanata</i>		yel.	2	...	3
250	<i>orientalis</i>		ha	...	1½	...	3
251	<i>Centaurea americana</i>		19 55	85	hba	red	3	8-10	6
252	<i>atropurpurea</i>		hpt	d r.	2	7-8	3
253	<i>depressa</i>		ha	b & r	1	...	3
254	<i>macrocephala</i>		hp	yel.	3	...	3
255	<i>pulchra</i>		ha	6
256	— — —		hpt	div.	div.	div.	6
257	<i>Centranthus macrosiphon</i>		1 25	149	6
258	<i>Ceanothus azureus</i>		5	134	G.	p & bl	10	5-7	6
259	<i>Chaenostoma polyanthum</i>		14 59	139	hhpt	lil.	¾	7-8	6
260	<i>fastigiatum</i>		red	6
261	<i>viscosum</i>		6
262	<i>Chelone barbata</i>		hpt	sc.	2	...	6
263	<i>Chironia</i>		3	25	99	G.	div.	6-8	6
264	<i>Chorozema ilicifolia</i>		10	...	106	...	y & r	...	6
265	<i>rhombica</i>		yel.	6
266	<i>spectabilis</i>		var.	6
267	<i>Cineraria argentea</i>		19 54	85	hhp	3
268	<i>cruenta pl. var.</i>		G.	div.	2½	5-6	1 0
269	<i>Circium pulcherrimum</i>		6
270	<i>Cistus albidus</i>		13 25	82	figh	p & p	2	6-7	6
271	<i>crispus</i>		pur.	6
272	<i>laurifolius</i>		wh.	3	...	6
273	<i>Ledon</i>		1½	...	6
274	<i>monspeiliensis</i>		3	...	6
275	<i>salvifolius</i>		2	...	6
276	— — —		w & p	div.	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hight.	M. of Flow.	Price.
277	Cladanthus arabicus	Arabian	19	54	85	ha	yel.	1	7-8	s. d. 3
278	Clarkia elegans	elegant	8	25	119	...	li.	1½	...	3
279	— rösca	rose-coloured	rose	3
280	— — flore plèna	double	l & r	3
281	— — nana	dwarf	rose	3
282	— pulchella	pretty	1	...	3
283	— atropurpurea	dark purple	d. p.	6
284	— alba	white	whl.	3
285	— fimbriata	fringed	3
286	— grandiflora	large-flowered	red	3
287	— — alba	large white	wh.	6
288	— — —	Nos. 278 to 287	div.	div.	...	2 6
289	Clématis Flammula**	flame (fragrant)	13	35	132	hlp	wh.	cl.	6-9	6
290	Pallasii**	Pallas's	6
291	Vitalba**	Traveller's Joy	6
292	Cleome arborca	tree-like	15	61	79	S.	...	8	6-8	6
293	pentaphylla	five-leaved	hba	...	2 7-8	3
294	spinosa	spiny	hlib	rose	...	3
295	— — —	fine mixed	div.	w & r	...	6
296	Clianthus puniceus	erimson	17	45	106	G.	cr.	8	...	6
297	Clintònia elegans	elegant	16	40	111	hba	bl.	1½	...	3
298	pulchella	pretty (extra fine)	3col.	6
299	Clitória Ternateca**	(beautiful)	17	45	106	S.	bl.	el.	...	1 6
300	mariana**	Maryland	G.	6
301	— — —	species Florida	6
302	Cobaea scandens**	climbing	5	25	83	...	pur.	6
303	Cochlearia acaulis	stemless	15	60	89	hpt	li.	½	...	6
304	Coix lachryma	(Job's Tears)	21	38	98	S.	gr.	2	6-7	6
305	Colchicum autumnale	autumnal	6	28	121	hp	div.	½	8-10	6
306	Colebrookia tenuifolia	fine-leaved	14	59	150	G.	wh.	3	6-7	6
307	Collinsia grandiflora	large-flowered	139	ha	p & b	1	7-8	3
308	bicolor	two-coloured	w & p	1½	...	3
309	— atrorubens	dark red	red	3
310	heterophylla	various-leaved	w & c	3
311	verna	vernal	b & p.	1	...	3
312	Collomia coccinea	scarlet	5	25	126	...	se.	3
313	grandiflora	large-flowered	buff	3
314	Commelina caelestis	sky-blue	3	...	84	hlp	bl.	6
315	— albiflora	white	wh.	6
316	Convallaria	2 fine species	6	...	142	hp	...	½	5-6	3
317	Corydalis glauca	sea-green	17	41	96	ha	p & y.	2	7-8	3
318	Cosmanthus fimbriatus	fringed	5	25	102	fgh	6
319	Cosma bipinnata	bipinnate	19	55	85	hba	pur.	2	8-10	3
320	purpurea grandiflora	large purple-flower'd	6
321	Crataegus, sp. ex Assam	Assam species	12	27	135	S.	1 6
322	Crocus vernus	Spring	3	25	103	hp	div.	¾	3-4	6
323	Crotalaria elegans	elegant	16	45	106	G.	yel.	3	6-8	1 6
324	latifolia	broad-leaved	S.	6
325	Crucianella stylösa	large-styled	4	25	136	hpt	pink	2	...	6
326	Cucumis Dudaim	apple-shaped	21	49	90	fa	yel.	tr.	6-9	6
327	flexuosa	(snake)	6
328	prophetarum	prophets'	6
329	Cùphea platycentra	broad-centred	11	25	113	hh	so.	1½	7-8	6
330	procumbens	procumbent	p & p.	3
331	silenoïdes	Silene-like	c & y.	6
332	strigulosa	strigulose	s & y.	6
333	— — —	Nos. 329 to 332	div.	1 6
334	Cyclamen persicum	Persian	5	...	130	hlp	rose	½	6-9	6
335	— — —	fine mixed	div.	6
336	Cynoglossum glochidatum	glochidate	75	lp	bl.	3	7-8	3

<i>A — indicates a variety. () That the word is not literally translated, or is superseded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
397	Dianthus caucasicus		10	26	141	hpt	pur.	1	6-8	6
398	chiuensis*	Caucasian (Pink)				hpt	div.			6
399	— albiflorus	(Indian Pink) 20 var.					wh.			6
400	— plenus	white-flowered					div.			6
401	erucatus	double					red			6
402	decussatus	blood-red				hpt				6
403	deltoides	decussate								3
404	— albus	(Maiden Pink)					fl.			3
405	giganteus	white					wh.			3
406	guttatus*	gigantic				hpt	red	2		3
407	hispanicus*	spotted					w & r	1/2		3
408	imperialis	Spanish					div.	1		3
409	japonicus	imperial								6
410	latifolius*	Japan				hpt	sc.			3
411	moschatius	broad-leaved				hpt	div.			3
412	— flore-pleno	(Garden Pink)				hp	w & p			3
413	plumarius	double ditto								1 0
414	pulchellus	feathered Pink								6
415	superbus	pretty				hpt	div.			3
416	— hybridus	superb				hpt	li.	1 1/2		3
417	— — —	(new hybrid)					div.			6
418	Didiscus carulcus	8 finest sorts					div.			2 6
419	Digitalis aurea	blue	5	25	148	hha	bl.	2	7-8	6
420	grandiflora	golden	14	59	139	hp	ycl.	1 1/2	7-9	3
421	laevata	large-flowered								3
422	micrantha	woolly					buff			3
423	purpurea	small-flowered								3
424	— alba	purple					pur.	3		3
425	— bicornuta	white					wh.			3
426	— punctata	two-horned								3
427	— rosea	spotted					spot.			3
428	— — —	rose					rose			3
429	— — —	6 finest sorts					div.			1 6
430	Dillwynia glycinifolia	fine mixed								3
431	Diplacus paucicus	Glycine-leaved	10	25	106	G.	o & r.	2	4-6	6
432	Dodecatheon Meadia	crimson-scarlet	14	59	139	hpt	sc.		7-8	6
433	gigantea elegans	Meadia	5	25	130	G.	div.	1		6
434	Dolichos lignosus**	elegant						1 1/2		6
435	speciosus**	lignous	17	45	106		pur.	cl.		6
436	Dracocephalum argunense	showy					S.			1 0
437	austriacum	Argum	14	58	105	hpt	bl.	1 1/2		6
438	canariense	Austrian								3
439	canescens	(Balm of Gilead)				hpt	r & p			3
440	superbum	hoary				hpt	bl.			3
441	Duranta Plumieri	superb								6
442	Echium grandiflorum	Plumier's	P.	59	150	S.		12	9-10	1 0
443	Elichrysium macranthum	large-flowered	5	25	75	ha		2	7-8	3
444	bracteatum	long-flowered	19	54	85	hha	rose			3
445	— album	(yell. Xeranthemum)								3
446	robustum	(white ditto)					wh.			3
447	— — —	robust (mixed)					w & y			6
448	— — —	Nos. 443 to 446					div.			1 0
449	Elsholtzia cristata	finest mixed								6
450	Epæris microphylla	crested	14	59	105	ha	rose	1 1/2	5-7	3
451	Epiphyllum	single-leaved	5	25	92	G.		2		1 0
452	Eranthis hyemalis	6 fine species	12		77	S.	div.	div.	div.	1 0
453	Erica	winter (Aeonite)	13	55	132	hp	ycl.	1/4	1-3	6
454	— — —	20 sp. separate	8	25	93	G.	div.	div.	div.	7 6
455	Erius alpinus	50 fine species m.								2 6
456	Eriostemon buxifolium	alpine	14	59	139	hp	li.	1/2	4-6	3
		Box-leaved	10	25	137	G.	pink	2 1/2	5-6	1 0

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			L.	Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		<i>s. d.</i>
457	<i>Eriostemon salicifolium</i>	<i>willow-leaved</i>	10	25	137	G.	red		3	5-7	1 0
458	<i>Eryngium alpinum</i>	<i>alpine</i>	5	26	148	hp	bl.		2	7-8	3
459	<i>gigantum</i>	<i>gigantic</i>		4	...	6
460	<i>Erysimum Peroffskianum</i>	<i>Peroffski's</i>	15	61	89	ha	or.		1½	6-7	3
461	<i>Erythrina crista-galli</i>	<i>Cock's-comb</i>	17	45	106	S.	sc.		6	5-7	1 0
462	<i>Eschscholtzia crocea</i>	<i>orange</i>	13	29	122	hp†	or.		1½	6-7	3
463	<i>californica</i>	<i>Californian</i>	yel.		3
464	<i>compacta</i>	<i>compact</i>	3
465	— — —	<i>mixed</i>	y & o.		3
466	<i>Eucharidium concinnum</i>	<i>neal</i>	8	25	119	ha	pur.		1	7-8	3
467	<i>grandiflorum</i>	<i>large-flowered</i>	3
468	<i>Euphorbia variegata</i>	<i>variegated</i>	11	28	94	hha	var.		...	8-9	6
469	<i>Eutocia divaricata</i>	<i>divaricate</i>	5	25	119	ha	li.		...	7-8	3
470	<i>multiflora</i>	<i>many-flowered</i>	lav.		3
471	<i>viscida</i>	<i>viscid (fine)</i>	bl.		3
472	<i>Wrangeliana</i>	<i>Wrangel's</i>	li.		3
473	<i>Eragrostis elegans</i>	<i>elegant</i>	3	26	98	...	gr.		...	5-7	3
474	<i>Fedia cornucopiæ</i>	<i>(Horn of plenty)</i>	2	25	105	...	red		1	7-8	3
475	<i>Felicia affinis</i>	<i>related</i>	6
476	<i>Fraxedo appendiculata</i>	<i>appendiced</i>	8	29	97	hb†	pink		2	7-8	6
477	<i>Fritillaria imperialis</i>	<i>(Crown Imperial)</i>	6	25	107	hp	div.		3	5-6	6
478	<i>melegris</i>	<i>(Fritillary)</i>		1	...	6
479	<i>Fuchsia</i>	<i>splendid mixed</i>	8	...	119	G.	...	div.	6-9	1 0	
480	<i>Fumaria spicata</i>	<i>spiked (flowered)</i>	17	41	96	ha	fl.		6	7-8	6
481	<i>Galæga orientalis</i>	<i>oriental</i>	16	45	106	hp	bl.		3	6-9	3
482	<i>Gaillardia coronata ?</i>	<i>garland</i>	19	55	85	hb†	...		1½	...	6
483	<i>pecta (Drummondii)</i>	<i>painted</i>	y & s.		6
484	— <i>coccinea</i>	<i>scarlet</i>	sc.		6
485	— <i>fistulosa</i>	<i>quilled</i>	6
486	— <i>nana</i>	<i>dwarf</i>	y & s.		1	...	6
487	— <i>Wellsiana</i>	<i>Wells's</i>		1½	...	6
488	— — —	<i>Nos. 482 to 487</i>	2 6
489	<i>Gardènia Thunbergiana</i>	<i>Thunberg's</i>	5	25	136	G.	p & w		6	3-7	1 0
490	<i>Genista</i>	<i>fine species</i>	16	45	106	...	yel.		3	6-7	6
491	<i>Gentiana acaulis</i>	<i>stemless</i>	5	26	99	hp†	bl.		½	4-7	6
492	<i>Anarella</i>	<i>Anarella</i>	ha	pur.		...	7-8	6
493	<i>campestris</i>	<i>field</i>	6
494	<i>cruciata</i>	<i>crossed</i>	hp†	bl.		1	6-7	6
495	<i>hybrida</i>	<i>hybrid</i>	y & p		2½	...	6
496	<i>macrophylla</i>	<i>large-leaved</i>	bl.		1	...	6
497	— — —	<i>finest mixed</i>	div.		div.	...	6
498	<i>Geranium sylvaticum</i>	<i>sylian</i>	16	42	100	hb†	bl.		1½	5-7	6
499	— — —	<i>fine mixed</i>	div.		div.	5-8	6
500	<i>Gesneria</i>	<i>splendid mixed</i>	14	59	101	S.	...		1½	6-8	1 0
501	<i>Geum coccineum</i>	<i>scarlet</i>	12	35	135	hb†	sc.		2	6-9	3
502	— <i>atrosanguineum</i>	<i>dark red</i>	d. s.		6
503	— <i>splendens</i>	<i>splendid</i>	l. s.		6
504	— — —	<i>fine mixed</i>	div.		6
505	<i>Gilia achillæfolia</i>	<i>Milfoil-leaved</i>	5	25	126	ha	bl.		1½	7-8	3
506	<i>capitata</i>	<i>head-flowered</i>	3
507	— <i>alba</i>	<i>white</i>	wh.		3
508	<i>nivalis*</i>	<i>snow-white</i>		1	6-7	3
509	<i>tricolor*</i>	<i>three-coloured</i>	3col.		3
510	— <i>alba*</i>	<i>white</i>	wh.		3
511	— <i>splendens*</i>	<i>splendid</i>	rose		3
512	— — —	<i>Nos. 505 to 511</i>	div.		1 6
513	— — —	<i>mixed</i>	3
514	<i>Gladiolus gandavensis</i>	<i>Ghent</i>	3	...	103	fgh	s & y		2	7-9	6
515	<i>floribundus</i>	<i>many-flowered</i>	w & r		3
516	<i>Herbertianus</i>	<i>Herbert's (hybrids)</i>	div.		1 0
517	— <i>coccineus nanus</i>	<i>dwarf scarlet</i>	sc.		1	...	6

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
518	Gloxinia	(finest mixed)	14 59	101	S.	div.	1½	6-8	1 0
519	Gnaphalium grandiflorum	large-flowered	19 54	85	G.	wh.	3	7-8	6
520	Godetia (Enothëra)	(finest mixed)	8 25	119	ha	div.	1	6-7	3
521	bifrons	two-fronted	p & c.	3
522	insignis	remarkable	spot.	3
523	Lehmanni	Lehmann's	var.	3
524	lépida	pretty	li.	3
525	Lindleyana	Lindley's	w & r	3
526	purpurea	purple	pur.	3
527	quadrivulnera	four-spotted	4col.	3
528	rosco-alba	rose and white	r & w	3
529	rubicunda	blushing	d. c.	3
530	tennifolia	fine-leaved	vio.	3
531	vinifera	twiggy	li.	1½	3
532	vinosa	(wine-coloured)	clar.	3
533	Willdenovii	Willdenow's	vio.	3
534	— — —	10 fine sorts	div.	2 0
535	Goodia lotifolia	Lotus-leaved	16 45	106	G.	yl.	5	6-7	6
536	pubescens	pubescent	6
537	Grammanthes gentianoïdes	Gentian-like	6
538	Grislea tomentosa	woolly	8 25	S.	red	3	5-6	6
539	Gypsophila elegans	elegant	10 26	141	ha	w & p	¾	7-8	3
540	Hebenstreitia sp. fragrans	fragrant	14 59	150	hha	wh.	1	6
541	Hedy'chium Gardnerianum	Gardner's	5 25	S.	yel.	6	6-9	1 0
542	Hedy'sarum canadense	Canadian	17 45	106	hp	pur.	7-8	3
543	pictum	painted (leaved)	S.	3	6
544	pulchellum	pretty	6
545	vespertilionis	Bat	wh.	2	7-8	6
546	— — —	fine mixed	div.	div.	6
547	Helenium Douglassii	Douglas's	19 54	85	ha	yel.	7-8	3
548	Helianthemum guttatum	spotted	13 25	82	½	3
549	— — —	splendid mixed	hpt	div.	1	6
550	Helicteres pulchra	beautiful	16 45	74	S.	6-8	1 0
551	— — —	fine mixed	1 0
552	Helio'phila arabioides	Arabis-like	15 61	89	hha	bl.	½	6-8	6
553	stricta	upright	6
554	trifida	thrice-cut	pur.	6
555	Heliotropium peruvianum	Peruvian	5 25	75	fgb	bl.	2	3
556	grandiflorum	large-flowered	3
557	Voltaireianum	Voltaire's	vio.	6
558	Helleborus niger major	larger black	13 55	132	hp	pink	1	1-5	6
559	Hemifneris montana	mountain	14 29	139	hha	red	1½	7-9	6
560	Hibiscus africanus	African	16 48	115	y & d	2	3
561	calisireus	(large new)	3
562	Humboldtii	Humboldt's	3
563	palustris	marsh (mixed)	hlp	r & w	3	6
564	Fullerianus	Fuller's	G.	6
565	grandiflorus albus	large-flowered white	wh.	3	6
566	insignis	beautiful	rose	2	6
567	Lampas	lamp	S.	pink	10	6
568	macrophyllus	long-leaved	yel.	6
569	maculatus	spotted	6
570	Manihot	Manihot	G.	y & p	6
571	militaris	military (armed)	pur.	6
572	Moschentos	Moscheutos	hlp	wh.	6
573	— rosens	— rose-coloured	rose	6
574	mutabilis	variable	S.	w & p	10	6
575	phœniceus	purple	pur.	6	6
576	speciosus	showy	G.	se.	3	6
577	splendens	splendid	rose	8	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. C.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
578	Hibiscus spicatus	spiked	16	48	115	S.			7-9	6
579	tortuosus	twisted	6
580	virginicus	Virginian	hhpt	red	3	...	6
581	syriacus	Syrian	div.	6	...	6
582	— — —	6 very fine sorts	G.			2	6
583	— — —	fine mixed				1	0
584	Hibiscus Celsi	Cels's	...	45	106	G.	bl.	6	6-8	1
585	Hibiscus elegans	elegant	19	53	85	hh†	red	5	6-9	6
586	Hyacinthus orientalis	oriental	6	25	107	hp	div.	1	5-6	6
587	Hydrœca spinosa	spiny	5	26	87	fgb	bl.	1	6-7	6
588	Hypericum elegans	elegant	18	48	...	hp	yel.	1½	...	3
589	Iberis Tenoreana	Tenore's	15	60	89	hp†	red	1	6-8	6
590	Impatiens glandulifera	glandular	5	25	70	lha	...	2½	7-8	3
591	flœre-albo	white	wh.	3
592	Incarvillea grandiflora	large-flowered	14	59	73	G.	or.	cl.	6-9	6
593	Indigœfera	4 fine species	17	45	106	...	div.	2-3	7-8	6
594	Ipomœa coccinea**	scarlet	5	25	87	ghh	sc.	cl.	7-9	3
595	Batatas**	Batatas	pur.	6
596	bœna-nox**	Good Night!	wh.	6
597	dissecta**	cut	sc.	6
598	Lindley**	Lindley's	1	0
599	lutœola**	yellowish	yel.	6
600	Quamoclit**	Quamoclit	sc.	6
601	— flœre-albo**	white	wh.	1
602	rûbro-cœrulea**	(splendid blue) true	bl.	1
603	tyrianthina**	(Tyrian-purple)	1
604	sp. ex. Arabia**	Arabian species	1
605	— — —	8 finest sorts	div.	7
606	sp. ex. Assam**	Assam species	1
607	Nil**	(Anil-blue?)	hha	bl.	6
608	purpurea grandiflora**	large-flowered pur.	pur.	6
609	— kermesina**	crimson	cr.	6
610	Ipomœopsis elegans	elegant	5	25	126	hhb†	sc.	2	...	6
611	picta	painted	6
612	— aurantiaca	orange	6
613	— Beyrichii	Beyrich's	d. s.	6
614	— superba	superb	sc.	1
615	— — —	fine mixed	o & s.	1
616	Iris xiphoides	(splendid English)	3	...	103	hp	div.	1½	7-8	1
617	Isœtoma axillaris	axillary	5	...	111	fgb	bl.	...	6-8	6
618	Ixia viridiflora	green-flowered	3	...	103	hhp	gr.	...	5-6	6
619	— — —	splendid mixed	div.	1	...	6
620	Jasminum fruticans	shrubby	2	...	104	...	yel.	3	5-9	6
621	Jurœnia alata	winged	6
622	Justitia speciosa	showy	2	...	62	S.	pur.	4	8-9	6
623	Kanfussia amelloides	Anectus-like	19	54	85	ha	bl.	¾	7-8	3
624	Keuœdyia Marryattœ	Mrs. Marryatt's	17	45	106	G.	sc.	cl.	7-9	1
625	— monophylla	single-leaved	bl.	6
626	rubicœnda	blushing	red	6
627	— grandiflora novœ	— new large	6
628	— — —	finest mixed	div.	1
629	Lantœna Selloviœna	Settow's	14	59	150	hhp	pur.	1½	7-8	6
630	Camœnara	Camœnara	S.	or.	6	6-9	6
631	trifolia	three-leaved	pur.	3	...	6
632	— — —	fine mixed	hh	6
633	Lasthœnia californica	Californian	19	54	85	ha	yel.	1½	7-8	3
634	Lœthyrus azureus majœr	larger blue-flowered	17	45	106	...	bl.	2	...	3
635	latifolius**	(Evertasting Pea)	hh†	red	cl.	...	3
636	— albus**	white	wh.	3
637	Lœwsœnia incœnis	(Tree Mignonette)	8	25	...	S.	...	8	6-8	1

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet		s. d.
638	Leptósiphon densiflorus		5	25	126	ha	pur.	7-8	3
639	androsæcens		div.	1	3
640	— albus		wh.	3
641	— lilacinus		li.	3
642	Leucadendron argenteum		22	39	131	G.	yel.	12	1 0
643	— — —		div.	7-9	1 0
644	Leucæria senecioides		19	56	85	ha	wh.	1	6
645	Leycostèria forniòsa		5	25	80	hp	w&p	...	6
646	Lencospermum		4	25	131	G.	yel.	div.	1 0
647	Liättris heterophylla		19	53	85	hp	pur.	3	6
648	Limnanthes Douglàsii		10	25	108	ha	w&y	3	3
649	grandiflora		1	...	6
650	Linària alpina		14	59	139	hpt	b & y	...	6
651	triornithóphora		pur.	...	6
652	Limn austriacum		5	30	109	7-8	3
653	grandiflorum		3
654	— album		3
655	nervosum		l. b	1½	...	3
656	perenne		bl.	2	...	3
657	Lisianthus Russellianus		5	25	99	G.	pur.	3	6
658	nigricans		dark	...	6
659	Loësa aurantiaca**		18	48	110	hpt	or.	cl.	3
660	contorta**		twisted	...	6
661	Herbertii**		d. o.	...	6
662	Pentlandica**		or.	...	6
663	— — —		finest mixed	...	6
664	tricolor		ha	3 col.	2	3
665	Lobelia Erinus		5	25	111	hpt	bl.	3	3
666	decumbens		reclining	½	3
667	erinoides		hb†	3
668	— compacta		compact	...	6
669	— grandiflora		large-flowered	...	6
670	— rosea		rose-coloured	...	3
671	gracilis*		hha	...	1	3
672	— alba*		wh.	...	3
673	heterophylla		hpt	bl.	1½	6
674	— major		larger	...	6
675	propinqua		related	...	6
676	ramosa		branching	d. bl.	6
677	cardinalis		G.	sc.	3	6
678	ignea		fire-coloured	...	6
679	siphilitica		(large blue)	l. bl.	6
680	Lonefca alpigena		80	hp	yel.	6	6
681	Lopèzia coronata		1	...	119	ha	red	2	3
682	racemosa		bunch-flowered	...	3
683	Lophochnum hirtum		19	54	85	hha	yel.	...	6
684	Lophospermum scandens**		14	59	139	G.	rose	cl.	6
685	Hendersoni**		Henderson's	...	6
686	— spectabile**		showy (spotted)	spot.	6
687	— — —		finest mixed**	var.	6
688	Lötus jacobæus		17	45	106	gha	dark	1	6
689	Lupinus bicolor		16	45	...	ha	p&b.	...	3
690	Hartwegii		b&w	1½	3
691	leptophyllus		b.&l.	1	3
692	mexicanus		bl.	1½	3
693	mutabilis		var.	2	3
694	— Cruickshanksii		Cruickshanks's	2	3
695	nanus*		dwarf	p&b.	3
696	pulchellus		pretty	b. p.	3
697	arborescus		hpt	div.	4	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	C.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	s.d.
		l.	l.				feet			
758	<i>Morina longiflora</i>									1 0
759	<i>Mosellaria pinnatifida</i>	19	53	85	ha	yel.	$\frac{1}{2}$	7-8		6
760	<i>Myosotis alpestris</i>	5	25	75	hpt	bl.	...	6-9		6
761	<i>scorpioides</i>		6
762	<i>Narcissus</i>	6	...	64	hp	w & y	$\frac{1}{4}$	5-6		6
763	<i>Nelumbium luteum</i>	13	35	118	G.	yel.	tr.	6-9		6
764	<i>Nemösa floribunda</i>	14	59	139	hha	w & y	$\frac{1}{2}$	7-8		6
765	<i>strumösa</i>		6
766	<i>Nemöphila aurita</i>	5	25	102	ha	pur.	2	7-8		3
767	<i>atomaria*</i>	wh.	$\frac{3}{4}$...		3
768	<i>— cælestis*</i>	bl.		3
769	<i>discoidalis</i>	blek.		3
770	<i>insignis*</i>	bl.		3
771	<i>— alba*</i>	wh.		3
772	<i>— grandiflora*</i>	bl.		3
773	<i>— punctata*</i>	w & b		6
774	<i>phacelioides</i>	hpt	vio.	1	...		6
775	---	div.		2 0
776	<i>Nicotiana</i>	143	hha	...	1-2	...		6
777	<i>Nigella hispánica</i>	13	30	132	ha	bl.	1	...		3
778	<i>Nivönia</i>	4	25	131	G.	p & p	3	...		1 0
779	<i>Nolana atriplicifolia</i>	5	...	143	hha	b w y	1	...		3
780	<i>paradoxa</i>	bl.		3
781	<i>prostrata</i>	tr.		3
782	<i>tenella</i>	1	...		3
783	<i>Nönea rösea</i>	75	ha	pink	$1\frac{1}{2}$...		3
784	<i>Nycteria capensis</i>	14	59	139	hpt	wh.	$\frac{3}{4}$	6-7		6
785	<i>Nymphaea alba</i>	13	25	118	hp	...	tr.	6-8		6
786	<i>Ænothëra acaulis</i>	8	...	119	hpt	...	$\frac{1}{2}$	5-8		3
787	<i>biennis</i>	yel.	2	7-8		3
788	<i>alata</i>		3
789	<i>Drummondii*</i>	hpt	yel.	1	...		6
790	<i>conciua*</i>	ha	p & r	$\frac{1}{4}$...		3
791	<i>densiflora</i>	pur.		3
792	<i>macrantha</i>	hha	wh.	$1\frac{1}{2}$...		6
793	<i>macrocarpa</i>	hp	yel.	2	...		6
794	<i>odorata</i>	hpt		3
795	<i>rösea</i>	rosc	$\frac{3}{4}$...		3
796	<i>Sellowii</i>	yel.	1	...		3
797	<i>speciosa</i>	hha	wh.	$1\frac{1}{2}$...		6
798	<i>stricta</i>	yel.		3
799	<i>taraxaeifolia</i>	hpt	wh.	$\frac{1}{2}$...		6
800	<i>tetraptera</i>	ha	...	1	...		3
801	---		2 6
802	---		6
803	<i>Öndöis</i>	16	45	106	hp	red	3	...		6
804	<i>Orobis coccineus</i>	17	sc.	$1\frac{1}{2}$	5-6		3
805	<i>Fischeri</i>	pur.	2	...		3
806	<i>latifolius</i>	red	3	...		3
807	<i>Oxalis purpurea</i>	10	30	...	hpt	pur.	1	6-8		6
808	<i>rösea</i>	rose		6
809	<i>Oxyra chrysanthemoides</i>	19	54	85	ha	y & w	...	7-8		3
810	<i>Paconia arborea</i>	15	26	132	hp	div.	4	5-7		6
811	---	2	6-8		6
812	<i>Palavia moschata</i>	16	48	115	ha	pur.	1	7-8		3
813	<i>Papaver croceum</i>	13	25	122	hpt	or.	$1\frac{1}{2}$...		3
814	<i>nudicaule</i>	yel.		3
815	<i>orientale</i>	red		3
816	<i>pulcherrimum</i>	sc.		6
817	---	div.		6

A — indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
		3	4	5	6	7	8	9	s. d.	
No.							feet			
818	Pardanthus chinensis	Chinese	3	25	103	hnp	or.	2	6-7	6
819	Passiflora alata**	winged	16	40	123	S.	3eol.	cl.	4-9	6
820	caerulea**	blue	hp	bl.	...	6-9	6
821	caerulea**	esulent	S.	wh.	6
822	pedata**	pedate	w&g	6
823	Roddiana**	Rodd's	6
824	— — —	finest mixed**	div.	1 0
825	Patersonia glauca	glauca	...	38	103	G.	pur.	1	5-7	6
826	Pelargonium (Geranium)	finest mixed	...	42	100	...	div.	3	6-9	1 0
827	— — —	large packet	2 6
828	— — —	scarlet (6 var.)	sc.	6
829	— — —	Tom Thumb	6
830	Pentstemon phoenicea	purple	...	45	76	S.	...	2	7-8	6
831	Pentstemon digitalis	Digitalis-like	14	59	139	hpf	wh.	3
832	atropurpureum	dark purple	d. p.	3
833	Chandleri	Chandler's	var.	6
834	gentianoides	Gentian-like	red	3
835	— album	white	wh.	6
836	— coccineum	scarlet	sc.	6
837	— grandiflorum	large-flowered	1 0
838	latifolium	broad-leaved	6
839	Murrayanum	Murray's	1 0
840	ovatum	ovate	bl.	6
841	nitidum	shining	3
842	perfoliatum	perfoliate	6
843	pulegiellum	pretty	div.	6
844	roseum	rose-coloured	rose	3
845	speciosum	showy	bl.	1 0
846	— — —	finest mixed	div.	6
847	— — —	6 fine sorts	1 6
848	Petunia phoenicea	purple	5	25	143	hpf	pur.	...	6-9	3
849	— violacea	violet	vio.	3
850	— alba major	large white	wh.	3
851	— Blockii	Block's	6
852	— grandiflora	large-flowered	pur.	3
853	— picta	painted	6
854	— rosea grandiflora	large rose-flowered	rose	6
855	— striata	striped	str.	6
856	— — —	Beauty	6
857	— — —	Prince Albert	6
858	nyctaginiflora	(white)	wh.	3
859	— — —	6 finest sorts	div.	2 6
860	— — —	splendid mixed	6
861	Phacelia conspicua	conspicuous	102	ha	bl.	...	7-8	3
862	tanacetifolia	Tansy-leaved	3
863	Phacelia Caracalla	Caracalla	17	45	106	S.	li.	cl.	7-9	1 0
864	psoralca	Psoralea-(like)	7-8	6
865	Philotheca australis	Australian	16	...	137	G.	wh.	2	5-6	6
866	Phlomis Russelliana	Russell's	14	58	105	hpf	buff	...	6-8	6
867	Phlox Drummondii	Drummond's	5	25	126	hha	div.	1 1/2	7-9	6
868	— alba	white	wh.	1 0
869	— coccinea	scarlet	sc.	6
870	— kermesina	erimson	cr.	6
871	— Leopoldiana	Leopoldina's	var.	1 0
872	— oculata	(white-eyed)	div.	1 0
873	— — —	Nos. 867 to 872	3 6
874	sp. perennans	mixed perennial	hpf	6
875	Physolobium gracile**	slender	10	...	106	G.	6-8	6
876	Pinnelca spectabilis	showy	2	...	145	3	...	6
877	Pinus et div. Coniferae	(various Pines, &c.)	21	49	86	hp	div.	1 0

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
878	Platylòbium formòsum	beautiful	16	45	106	G.	or.	4	6-9	2 6
879	triangulàre	triangular	6
880	Platystèmon californicum	Californian	13	25	122	ha	yel.	$\frac{1}{2}$	7-8	6
881	Plumbàgo zeylànica	Ceylon	5	...	125	S.	wh.	cl.	6-9	6
882	Podòlepis chrysantha	yellow-flowered	19	54	85	hha	yel.	1	7-8	6
883	grácilis	slender	pink	3
884	— alba	white	wh.	3
885	Podotlèca capitàta	headed	yel.	$1\frac{1}{2}$...	6
886	Pninciàna Gillièsii	Gillies's	10	25	106	S.	...	6	6-9	1 0
887	pulcherrima	most beautiful	r & y	8	...	1 0
888	Polygala speciòsa	showy	17	43	128	G.	pur.	5	...	6
889	Portulicà Thellusòni	Thelluson's	11	25	129	hha	sc.	$\frac{1}{2}$	7-8	6
890	grandiflòra	large-flowered	e. w.	6
891	splendens	splendid	6
892	Thorburni	Thorburn's	yel.	1 0
893	striatiflòra	striped-flowered	str.	1 0
894	— — —	Nos. 889 to 893	div.	3 0
895	— — —	finest mixed	1 0
896	Potentilla formòsa	beautiful	12	35	135	hp†	pur.	1	...	3
897	atrosanguínea	dark red	red	3
898	Garneriàna	Miss Garnier's	y & r	6
899	Hopwoodiàna	Hopwood's	var.	6
900	insignis	beautiful	yel.	6
901	Mackayàna	Mackay's	y & p	3
902	— — —	Nos. 896 to 901	div.	2 0
903	— — —	finest mixed	6
904	Prænanthes phœnicca	purple	19	53	85	hp	pur.	4	...	3
905	Primula cortusoides	Cortusa-like	5	25	130	hhp†	...	$\frac{2}{3}$	5-7	6
906	sincensis (prænitens)	Chinese	r & w	1	...	6
907	— fimbriàta	fringed	1 0
908	— — alba	— white	wh.	6
909	Pròtea	finest mixed	1	...	131	G.	div.	div.	div.	1 0
910	Ramonda pyrenæica	Pyrenean	5	...	143	hhp†	pur.	$\frac{1}{2}$	6-8	6
911	Randia racemosa	bunch-flowered	136	S.	w & g	6	...	1 0
912	Ranunculus asiaticus	Asiatic	13	35	132	hhp	div.	1	...	1 0
913	Rhodanthe Manglèsii	Mangles's	19	54	85	hha	rose	...	7-8	6
914	Rhododendron	finest mixed	10	25	...	hhp	div.	div.	div.	6
915	Robiàna caudida	white	17	45	106	S.	wh.	5	7-8	6
916	spectabilis	showy	6
917	Ròsa	finest mixed	12	35	135	hhp	div.	div.	div.	6
918	Rudbeckia Drummondii	Drummond's	19	55	85	hhp†	6
919	formòsa	beautiful	6
920	Salpiglossis Barclayàna	Barclay's	14	59	143	hha	y. br.	$1\frac{1}{2}$	7-9	6
921	— atropurpùrea	dark purple	pur.	6
922	— grandiflòra	large-flowered	var.	6
923	— picta	painted	6
924	— splendens	splendid	yel.	1 0
925	— straminea	straw-coloured	stra.	6
926	— — —	Nos. 920 to 925	div.	3 0
927	— — —	finest mixed	6
928	Salvia bicolor	two-coloured	2	25	105	hp†	b & w	2	...	3
929	latifolia	broad-leaved	6
930	limbàta	bordered	bor.	3
931	påtens	(splendid blue)	bl.	6	...	1 0
932	pendula	pendulous	2	...	3
933	— — —	fine mixed	div.	div.	...	6
934	Sanvitàlia procumbens	procumbent	19	54	85	hha	yel.	tr.	...	6
935	Saponària calàbrica	Calabrian	10	26	141	ha	red	$\frac{1}{2}$	6-9	6
936	multiflòra	many-flowered	6
937	ocymoides	Ocyma-like	hp†	rose	$\frac{1}{4}$	5-8	6

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
998	<i>Thunbergia a. aurantiaca</i> **	orange	2	25	62	gha	or.	cl.	6-9	6
999	— <i>Bakeri</i> **	<i>Baker's</i>	wh.	6
1000	— <i>mesoleuca</i> **	<i>white-eyed</i>	o&w	6
1001	— — —	Nos. 996 to 1000	div.	2	0
1002	— — —	<i>finest mixed</i>	1	0
1003	<i>Tigrídia couchiflora</i>	<i>shell-flowered</i>	16	38	103	hbp	yel.	1	7-9	3
1004	<i>Pavonia</i>	(<i>Tiger-Flower</i>)	o&s.	3
1005	<i>Tournefortia heliotropioides</i>	<i>Heliotropium-like</i>	5	25	75	hbp†	li.	2	5-7	6
1006	<i>Trachelium cæruleum</i>	<i>blue</i>	78	fgl	bl.	...	7-8	3
1007	<i>Tulipa Gesneriana</i>	<i>Gesner's</i>	6	...	147	lp	div.	1	6-7	6
1008	<i>Trichonema spectiosa</i>	<i>showy</i>	3	...	103	hbp	rose	6
1009	<i>Tropæolum azureum</i> **	<i>azure (Nasturtium)</i>	8	...	146	G.	bl.	cl.	7-9	1 0
1010	<i>Jarrattii grandiflorum</i>	<i>large-flowered</i> **	s&y.	1	6
1011	<i>Lobbianum</i> **	<i>Lobb's</i>	sc.	1	0
1012	<i>Moritzianum</i> **	<i>Moritz's</i>	r&y.	1	0
1013	<i>pentaphyllum</i> **	<i>five-leaved</i>	o&y.	6
1014	<i>tricolorum</i> **	<i>three-coloured</i>	3col.	6
1015	<i>peregrinum</i> **	(<i>Canary Bird</i>)	hha	yel.	6
1016	<i>Tweedia cærulea</i> **	<i>blue</i>	5	26	69	G.	bl.	...	6-8	3
1017	<i>Vachellia farnesiana</i>	<i>Farnesian</i>	6
1018	<i>Uraria macrophylla</i>	<i>long-leaved</i>	17	45	106	S.	var.	3	7-8	6
1019	<i>Veratrum nigrum</i>	<i>black</i>	23	51	121	hp	pur.	4	6-8	3
1020	<i>Verbascum compactum</i>	<i>compact</i>	5	25	143	hb†	rose	1	7-8	3
1021	<i>formosum</i>	<i>beautiful</i>	lp	yel.	2	...	3
1022	<i>spectabile</i>	<i>showy</i>	y&p.	3
1023	<i>Verbena Aubletii</i>	<i>Aublet's</i>	14	59	150	hbp†	li.	1	...	3
1024	<i>Drummondii</i>	<i>Drummond's</i>	wh.	6
1025	<i>geraniifolia</i>	<i>large-flowered</i>	6
1026	<i>pulchella</i>	<i>pretty</i>	bl.	6
1027	<i>pulcherrima</i>	<i>most beautiful</i>	6
1028	<i>venosa</i>	<i>veined</i>	rose	6
1029	— — —	<i>finest mixed</i>	div.	6
1030	<i>Veronica candida</i>	<i>white</i>	2	25	139	...	wh.	3
1031	<i>Lindleyana</i>	<i>Lindley's</i>	6
1032	<i>salicifolia</i>	<i>poplar-leaved</i>	6
1033	<i>speciosa</i>	<i>showy</i>	6
1034	<i>Viscaria oculi-rösa</i>	<i>Rose of Heaven</i>	10	30	141	ba	flesh	1	...	3
1035	<i>oculata</i>	(<i>dark-eyed</i>)	rose	3
1036	— <i>alba</i>	<i>white</i>	wh.	3
1037	— <i>nana</i>	<i>dwarf</i>	6
1038	— — —	Nos. 1034 to 1037	1	0
1039	<i>Vinca rösa</i>	<i>rose</i>	5	25	66	S.	rose	...	3-9	6
1040	— <i>alba</i>	<i>white</i>	wh.	6
1041	— — —	<i>mixed</i>	r&w	6
1042	<i>Viola odorata</i>	<i>sweet</i>	151	hbp†	div.	3
1043	<i>Xanthorrhoea</i>	<i>fine species</i>	6	...	107	G.	wh.	3	7-8	1 0
1044	<i>Zinnia elegans</i>	<i>elegant</i>	19	54	85	hha	vio.	2	7-9	6
1045	— <i>alba</i>	<i>white</i>	wh.	6
1046	— <i>aurantiaca</i>	<i>orange</i>	or.	6
1047	— <i>castanea</i>	<i>chestnut</i>	br.	6
1048	— <i>coccinea</i>	<i>scarlet</i>	sc.	6
1049	— — <i>major</i>	<i>larger</i>	6
1050	— <i>flava</i>	<i>yellow</i>	yel.	6
1051	— <i>incarnata</i>	<i>flesh-coloured</i>	flesh	6
1052	— <i>kermesina</i>	<i>crimson</i>	cr.	6
1053	— <i>minuta</i>	<i>carmine</i>	car.	6
1054	— <i>purpurea</i>	<i>purple</i>	pur.	6
1055	— <i>rösa</i>	<i>rose</i>	rose	6
1056	— <i>straminea</i>	<i>straw-coloured</i>	stra.	6
1057	— — —	<i>6 finest sorts</i>	div.	2 0

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price*
No.							feet		s. d.
1058	Zinnia elegans, 20 var.	splendid mixed	19 54	85	hha	div.	2	7-9	6
1059	Zygophyllum Fabago	Fabago	10 25	152	hp	o & w	46
1060	microphyllum	small-leaved	hhp†	ycl.	½	7-8	6
<p>The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have no affinity with the Latin, and are not to be considered as translations.</p>									
<i>A</i> — is employed to indicate varieties.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price*
No.							feet		s. d.
1061	Aster, Chinese, mixed	<i>Aster sinensis, pl. var.</i>	19 54	85	hha	div.	2	8-10	3
1062	quilled (German), m.	— <i>fistulosus, 20 var.</i>	6
1063	— dark blue	— <i>atro-ceruleus</i>	d. bl.	4
1064	— light blue	— <i>late-ceruleus</i>	l. bl.	4
1065	— dark red	— <i>atrorubens</i>	d. r.	4
1066	— rose	— <i>roseus</i>	rose	4
1067	— Turkey	— <i>turcicus</i>	er.	4
1068	— white	— <i>albus</i>	wh.	4
1069	— new Globe	— <i>globularis novus</i>	div.	6
1070	— new pyramidal	— <i>pyramidalis novus</i>	6
1071	— new dwarf	— <i>nanus novus</i>	7-8	6
1072	Nos. 1061 to 1071	— — — — —	3 6
1073	Auricula, alpine	<i>Primula Auricula</i>	5 25	130	hp	...	½	5-7	6
1074	finest prize	— — — — —	2 6
1075	Balsam, finest m.	<i>Balsamina hortensis</i>	...	70	ta	div.	...	7-9	6
1076	double branching	— <i>ramosa plena</i>	pur.	2	...	3
1077	— crimson	— <i>kermesina</i>	cr.	3
1078	— dark rose	— <i>atro-rosea</i>	d. r.	3
1079	— early purple	— <i>purpurea præcox</i>	pur.	3
1080	— late purple	— <i>purpurea serotina</i>	3
1081	— light scarlet	— <i>late-coccinea</i>	l. s.	3
1082	— new dotted, m.	— <i>punctata nova</i>	div.	6
1083	— scarlet	— <i>coccinea</i>	se.	3
1084	— striped, m.	— <i>striata</i>	div.	6
1085	— white	— <i>candida</i>	wh.	3
1086	— tricolor	— <i>tricolor</i>	3col.	3
1087	— variegated	— <i>variegata</i>	var.	3
1088	— Camellia, m.	— <i>Camelliaflora</i>	div.	6
1089	— 12 var. sep.	— — — — —	4 0
1090	— rose-flow. 3 var.	— <i>roseiflora</i>	1 0
1091	— new dwarf	— <i>nana nova</i>	3
1092	Nos. 1075 to 1091	— — — — —	7 6
1093	Candytuft, white	<i>Iberis amara</i>	15 60	89	ha	wh.	1	7-8	3
1094	purple	— <i>umbellata</i>	pur.	3
1095	new crimson	— <i>phanicea nova</i>	er.	3
1096	new rose	— <i>rosea nova</i>	rose	3
1097	new Rocket	— <i>coronaria nova</i>	wh.	3
1098	fragrant	— <i>odorata</i>	3
1099	Nos. 1093 to 1098	— — — — —	div.	1 0
1100	Canterbury Bell	<i>Campánula Medium</i>	5 25	78	hhp†	wh.	2	...	3
1101	white	— <i>album</i>	bl.	3
1102	double, mixed	— <i>flor-pleno</i>	b & w	6
1103	Carnation, fine double	<i>Dianthus Caryophyllus</i>	10 26	141	hhp	div.	...	6-8	2 6
1104	Catchly, Lobel's	<i>Silene Armèria</i>	...	28	...	ha	red	1	7-8
1105	white	— <i>alba</i>	wb.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		<i>s. d.</i>
1106	Chrysanthemum, w&y	19	54	85	ha	w & y	3	7-8	3
1107	tricolor	3 col.	1	...	3
1108	new yellow	3
1109	Clary, red and purple	2	25	105	...	r & p.	6
1110	Cockscomb, dwarf	5	...	63	ta	pur.	6
1111	dwarf yellow	6
1112	tall, bordered	bor.	1 3/4	...	6
1113	— scarlet	se.	6
1114	— golden yellow	yel.	6
1115	— mixed	div.	6
1116	Columbine, fine mixed	13	30	132	hp	...	2	6-7	3
1117	double striped	str.	3
1118	Convolvulus minor	5	25	87	ha	bl. tr.	6-8	...	3
1119	new dark	d. p.	3
1120	large-flowered	3
1121	striped	stri.	6
1122	white and yellow	w&y	3
1123	mixed	div.	3
1124	Nos. 1118 to 1123	1 6
1125	Convolvulus major, n.	3
1126	splendid mixed, 20v.	1 0
1127	new crimson	er.	6
1128	flesh-coloured	flesh	3
1129	rose-coloured	rose	3
1130	spotted	spot.	3
1131	striped	stri.	3
1132	variegated	var.	3
1133	violet	vio.	3
1134	very dark	d.v.	3
1135	white	wh.	3
1136	Nos. 1126 to 1135	div.	3 0
1137	16 fine var. separate	4 0
1138	Cowslip, mixed	130	hp	...	3	3-6	3
1139	Cyanus, fine mixed	19	55	85	ha	...	2	6-9	3
1140	double striped	stri.	3
1141	Egg Plant, purple	5	25	143	ta	p. fr.	...	7-8	3
1142	white	w. fr.	3
1143	Flos Adonis	13	35	132	ha	se.	1	...	3
1144	Fraxinella, red	10	25	137	hp	red	3	7-9	3
1145	white	wh.	3
1146	French Honeysuckle	17	45	106	hha	se.	2	7-8	3
1147	white	3
1148	Geranium, fine mixed	16	42	100	G.	div.	...	6-9	2 6
1149	GlobeAmaranthus, pur.	5	25	63	ta.	pur.	...	7-8	3
1150	flesh-coloured	flesh	3
1151	white	wh.	3
1152	4 var. separate	div.	1 0
1153	Gourd, Bottle, 3 var.	21	49	90	fa	wh. tr.	7-9	...	6
1154	Heracles' Club	6
1155	siphon-shaped	6
1156	Manmoth	3
1157	orange	3
1158	striped pear	3
1159	Turban	3
1160	mixed	3
1161	Nos. 1153 to 1160	y&w	2 0
1162	Hawkweed, purple	19	53	85	ha	pur.	1	7-8	3
1163	white	wh.	3
1164	yellow	yel.	3
1165	silvery	sil.	3

A — is employed to indicate varieties.		L. Cl.		N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.	
		L.	Cl.							
No.							feet		s. d.	
1166	Heartsease or Pansy, f.	<i>Viola tricolor</i>	5	25	151	hp†	div.	1	6-9	1 0
1167	Hollyhock, Antwerp	<i>Althæa ficifolia</i>	16	48	115	hp	or.	7	7-9	.3
1168	double rose	<i>rosea</i>	rose	3
1169	— black	— <i>nigra</i>	bla.	3
1170	— crimson	— <i>kermesina</i>	er.	3
1171	— purple	— <i>purpurea</i>	pur.	3
1172	— red	— <i>rubra</i>	red	3
1173	— yellow	— <i>lutea</i>	yel.	3
1174	— white	— <i>alba</i>	wh.	3
1175	Nos. 1167 to 1174	— — —	div.	1 6
1176	20 var. mixed	— — —	6
1177	Chinese	<i>Althæa sinensis</i>	hb†	vio.	3	...	3
1178	— 10 new var. sep.	— — —	div.	2 6
1179	— mixed	— — —	6
1180	Horn Poppy, scarlet	<i>Glaucium flavicoccum</i>	13	25	122	ha	sc.	1½	7-8	3
1181	violet	<i>Ranunculus hybridus</i>	vio.	3
1182	Ice Plant	<i>Mesemb. crystallinum</i>	12	27	95	ta	wh.	3
1183	Jacobæa, double m.	<i>Senecio elegans, fl. pl.</i>	19	54	85	hha	div.	6
1184	double mulberry	— <i>rubro-purpurea</i>	mul.	3
1185	— purple	— <i>purpurea</i>	pur.	3
1186	— red	— <i>rubra</i>	red	3
1187	— rose	— <i>rosea</i>	rose	3
1188	— violet	— <i>violacea</i>	vio.	3
1189	— white	— <i>alba</i>	wh.	3
1190	— crimson	— <i>kermesina</i>	er.	3
1191	Nos. 1183 to 1190	— — —	div.	1 6
1192	Larkspur, dwarf, mixed	<i>Delphinium Ajacis</i>	13	28	132	ha	...	1	...	3
1193	dwarf, German, m.	<i>humile, pl. var.</i>	6
1194	— milk-white	— <i>lacteum</i>	milk	3
1195	— blue	— <i>caeleste</i>	bl.	3
1196	— lilac	— <i>lilacinum</i>	li.	3
1197	— rose	— <i>roseum</i>	rose	3
1198	— slate	— <i>caesium</i>	sl.	3
1199	— white	— <i>album</i>	wh.	3
1200	— unique	— <i>bicolor</i>	2 col.	3
1201	Larkspur, tall m.	<i>elatior, pl. var.</i>	div.	1½	...	3
1202	tall German	— — —	6
1203	— blue	— <i>caeruleum</i>	bl.	3
1204	— lilac	— <i>lilacinum</i>	li.	3
1205	— rose	— <i>roseum</i>	rose	3
1206	— slate	— <i>caesium</i>	sl.	3
1207	— white	— <i>album</i>	wh.	3
1208	branching, m. Germ.	<i>Consolida, pl. var.</i>	div.	2	...	6
1209	— blue	— <i>caelestinum</i>	bl.	3
1210	— rose	— <i>roseum</i>	rose	3
1211	Lavatera, red	<i>Lavatera trimestris</i>	16	48	115	3	...	3
1212	white	— <i>alba</i>	wh.	3
1213	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	tr.	...	3
1214	Lupins, white	<i>Lupinus albus</i>	16	45	106	...	wh.	1½	...	3
1215	Dutch blue	<i>canaliculatus</i>	bl.	2	...	3
1216	large blue	<i>hirsutus</i>	3
1217	large rose	<i>pitbusus</i>	rose	3
1218	small blue	<i>angustifolius</i>	bl.	1½	...	3
1219	yellow	<i>luteus</i>	ycl.	3
1220	straw-coloured	— <i>stramineus</i>	str.	3
1221	Nos. 1214 to 1220	— — —	div.	1 6
1222	fine mixed	— — —	3
1223	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	85	hha	...	2	...	3
1224	French, dwarf	— <i>humilis</i>	dark	1	...	3
1225	— splendid striped	— <i>striata superba</i>	y&br	1½	...	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet	s. d.	
1226	Marigold, tall F.	<i>Tagetes patula elatior</i>	19	54	85	lha	div.	2	7-8	3
1227	African	<i>erecta, pl. var.</i>	y & o	3
1228	— lemon	— <i>citrina</i>	lem.	3
1229	— orange	— <i>aurantiaca</i>	or.	3
1230	Cape	<i>Calendula ptuvialis</i>	...	56	...	ha	wh.	1	...	3
1231	hybrid	<i>hybrida</i>	3
1232	double	<i>officinalis</i>	or.	3
1233	— bunch-flowered	— <i>floribunda</i>	3
1234	Nos. 1223 to 1233	— — —	div.	1-2	...	2 6
1235	Marvel of Peru, m.	<i>Mirabilis Jalapa, pl. var.</i>	3	25	117	hlp†	...	3	...	3
1236	— red	— <i>rubra</i>	red	3
1237	— striped, 3 var.	— <i>striata</i>	stri.	3
1238	— yellow	— <i>flava</i>	yel.	3
1239	— white	— <i>alba</i>	wh.	3
1240	— sweet-scented	<i>longiflora</i>	3
1241	12 fine var. sep. p.	— — —	div.	2 6
1242	Mignonette, per oz. 1s.	<i>Reseda odorata</i>	11	28	133	ha	buff	1	6-8	3
1243	Nasturtions, new dwf.	<i>Tropaeolum minus</i>	8	43	146	...	o. s.	tr.	7-9	3
1244	dwarf	— <i>dubium</i>	or.	3
1245	tall	<i>majus</i>	o & y	3
1246	new dark	— <i>atrum novum</i>	dark	3
1247	dark red	— <i>atrorubens</i>	d. r.	3
1248	Shilling's	— <i>Shillingii</i>	spot.	3
1249	striped	— <i>striatum</i>	stri.	3
1250	carmine	— <i>miniatum</i>	car.	3
1251	fine mixed	— — —	div.	3
1252	Nos. 1243 to 1251	— — —	2 0
1253	Palma Christi	<i>Ricinus major</i>	21	49	94	lha	gr.	6	...	3
1254	Pea, 'Tangier, 2 var.	<i>Lathyrus tingitanus</i>	17	45	106	ha	r. & s.	4	7-8	3
1255	Lord Anson's	<i>magellanicus</i>	bl.	3
1256	winged, 2 var.	<i>Lotus tetragonolobus</i>	y & r	6
1257	Pea, sweet, per lb. 4s.	<i>Lathyrus odoratus</i>	div.	3
1258	black	— <i>niger</i>	bla.	3
1259	painted Lady	— <i>pietus</i>	var.	3
1260	purple	— <i>purpureus</i>	pur.	3
1261	new large purple	— <i>atropurpureus</i>	3
1262	scarlet	— <i>coccineus</i>	se.	3
1263	striped	— <i>striatus</i>	stri.	3
1264	— new striped	— <i>striatus novus</i>	3
1265	white	— <i>albus</i>	wh.	3
1266	Persicaria, red	<i>Polygonum orientale</i>	8	28	128	...	red	3
1267	white	— <i>album</i>	wh.	3
1268	Polyanthus, extra fine	<i>Primula elatior, var.</i>	5	25	130	hpf	div.	½	5-7	6
1269	Poppy, double, 20 var.	<i>Papaver somniferum</i>	13	...	122	ha	...	2	7-8	3
1270	double black	— <i>nigrum plenum</i>	bla.	3
1271	— Carnation	— <i>Caryophylloides</i>	var.	3
1272	— fringed	— <i>finbriatum</i>	se.	3
1273	— scarlet	— <i>coccineum</i>	3
1274	— striped red	— <i>rubrum striatum</i>	stri.	3
1275	— striped rose	— <i>roseum striatum</i>	3
1276	— white	— <i>album</i>	wh.	3
1277	double French, m.	<i>Rhœas, fl. pl.</i>	div.	1	...	3
1278	— scarlet	— <i>coccineum</i>	se.	3
1279	— Turkey	— <i>turcicum</i>	div.	3
1280	Nos. 1269 to 1279	— — —	1-2	...	2 0
1281	Primrose, mixed	<i>Primula vulgaris</i>	5	...	130	hpf	...	½	5-7	3
1282	Prince's Feather	<i>Amaranthus hypochon-</i>	21	40	63	ha	pur.	2	7-8	3
1283	Quaking Grass	<i>Briza maxima [driacus]</i>	3	26	98	...	gr.	1½	...	3
1284	slender	<i>gracilis</i>	3
1285	Rocket, purple	<i>Hesperis matronalis</i>	15	61	89	hb	pur.	...	5-8	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.									s. d.
1286	Rocket, sweet		15 61	89	hp	wh.	1 1/2	5-8	3
1287	Scabious, dwarf		4 25	91	ha	div.	2	7-8	3
1288	very dark		lhp†	pur.	3
1289	splendid German		div.	6
1290	Scotch Thistle		19 55	85	...	pur.	8	...	6
1291	Sensitive Plant		23 51	106	fgh	pink	2	6-9	6
1292	Snapdragon, see 106		14 59	139	ha	div.	1	...	1 6
1293	Stock, 10 week, mixed		15 61	89	hha	...	1 1/4	...	3
1294	scarlet		sc.	3
1295	intermediate		3
1296	purple		pur.	3
1297	pyramidal		wh.	3
1298	white		3
1299	Stock, German, fine m.		div.	1	...	6
1300	large packet		1 0
1301	dwarf carmine		car.	4
1302	— crimson		cr.	4
1303	— dark crimson		d. c.	4
1304	— dark blue		d. bl.	4
1305	— lilac		li.	4
1306	— light blue		l. bl.	4
1307	— peach		peach	4
1308	— rose		rose	4
1309	— very dark		dark	4
1310	— yellow		yel.	4
1311	— violet		vio.	4
1312	— white		wh.	4
1313	Nos. 1300 to 1312		div.	4 0
1314	6 fine varieties		2 0
1315	new large, m.		1 0
1316	carmine		car.	1 0
1317	dark blue		d. bl.	1 0
1318	light blue		l. bl.	1 0
1319	rose		rose	1 0
1320	Nos. 1316 to 1319		div.	4 0
1321	Stock, Prussian, m.		3
1322	— purple		pur.	3
1323	— rose		rose	3
1324	— scarlet		sc.	3
1325	white		wh.	3
1326	autumnal, m.		div.	1 1/2	...	6
1327	Stock, Brompton, m.		3	...	3
1328	— purple		pur.	3
1329	— scarlet		sc.	3
1330	— white		wh.	3
1331	Stock, Queen, mixed		div.	1 1/2	6-8	3
1332	— purple		pur.	3
1333	— scarlet		sc.	3
1334	— white		wh.	3
1335	Imperial		6
1336	— light blue		l. b.	6
1337	— red		red	6
1338	— rose		rose	6
1339	— mixed		div.	6
1340	Nos. 1335 to 1339		2 0
1341	Sunflower, dwarf		19 55	85	ha	yel.	3	7-8	3
1342	— tall		6	...	3
1343	Sweet Alyssum		15 60	89	hpf	wh.	1	6-8	3
1344	Sweet Sultan		19 55	85	hha	pur.	1 1/2	7-8	3
1345	white		wh.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1346	Sweet Sultan, yellow	<i>Centaurea suaveolens</i>	19	55	85	hha	yel.	1½	7-8	3
1347	blush	<i>Crocodylitum</i>	blsh.	3
1348	Sweet William	<i>Dianthus barbatus</i>	10	26	141	lip	div.	...	6-8	3
1349	Venus' Looking Glass	<i>Campánula Spécifum</i>	5	25	78	ha	bl.	¾	7-8	3
1350	rose	— <i>rosea</i>	rose	3
1351	white	— <i>alba</i>	wh.	3
1352	5 var. separate	— — —	div.	1 0
1353	Venus' Navelwort	<i>Cynoglossum linifolium</i>	73	...	wh.	1	...	3
1354	Virginian Stock	<i>Malcòmia maritima</i>	15	61	89	...	rose	½	6-7	3
1355	white	— <i>alba</i>	wh.	3
1356	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hp	br.	2	5-8	3
1357	violet	— <i>violacea</i>	vio.	3
1358	yellow	— <i>lutea</i>	yel.	3
1359	— large	— <i>lutea major</i>	3
1360	mixed, 20 var.	— — —	div.	6
1361	double German	— <i>flore-pleno</i>	6
1362	— black brown	— — <i>nigricans</i>	d. br.	6
1363	— blue	— — <i>cœrulea</i>	bl.	6
1364	— large-flowered	— — <i>grandiflora</i>	br.	6
1365	— pyramidal	— — <i>pyramidalis</i>	yel.	6
1366	Winter Cherry	<i>Physalis Alkakengi</i>	5	25	143	ba	wh.	2½	7-8	3
1367	Xeranthemum, purple	<i>Xeranthemum annuum</i>	19	54	85	...	pur.	2	...	3
1368	white	— <i>album</i>	wh.	3
1369	Zinnia, golden yellow	<i>Zinnia aurea</i>	hha	yel.	3
1370	large-flowered	— <i>grandiflora</i>	red	3
1371	mixed	— — —	div.	6

For the convenience of Ladies and Gentlemen who are not acquainted with all the seeds, J. C. has extracted the following list of hardy and half-hardy Annuals, Biennials, Perennials, Greenhouse and Stove Seeds, from which a selection can be made.

I. *Hardy Annuals.*—Nos. 40, 41, 45, 66, 67, 103, 132, 150, 156, 187, 188 to 196, 212, 213, 250, 253, 278 to 287, 307 to 311, 460, 469 to 472, 508 to 511, 520 to 533, 560 to 562, 633, 638 to 641, 644, 671, 672, 689 to 696, 718 to 721, 726, 766 to 773, 777, 797, 880, 950, 951, 961, 962, 963, 1038, 1099, 1107, 1108, 1124, 1139, 1192, 1193, 1200, 1202, 1208, 1211, 1221, 1230 to 1234, 1242, 1252, 1258 to 1265, 1280, 1283.

II. *Half-hardy Annuals, &c.*—Nos. 1 to 20, 21 to 32, 34, 37, 42, 43, 44, 46, 54, 70, 159 to 165, 167, 179, 181, 188 to 196, 259, 295, 298, 329 to 332, 349 to 351, 418, 448, 540, 552, 608, 609, 683, 714, 728 to 731, 742, 779 to 782, 859, 867, 869, 870, 882 to 884, 894, 913, 926, 927, 934, 952, 969, 970, 992, 1057, 1136, 1154, 1155, 1191, 1223 to 1229, 1295, 1313, 1320, 1344 to 1347.

III. *Biennials and Perennials, &c.*—Nos. 33, 38, 47, 48, 50 to 53, 81, 82, 84, 97, 116, 117, 120, 121, 126, 136, 200, 201, 203, 211, 243, 244, 276, 314, 315, 347, 354 to 365, 368 to 378, 380, 383 to 416, 429, 462 to 464, 482 to 487, 491, 501 to 503, 549, 563, 610 to 615, 635, 636, 647, 650, 651, 667 to 670, 673 to 676, 698, 705, 711, 774, 789, 793, 796, 799, 802, 902, 910, 942, 956, 1241, 1289, 1340, 1357, 1360, 1361.

IV. *Greenhouse Seeds.*—Nos. 34, 44, 57, 58, 74, 75, 79, 87, 91, 92, 139, 169 to 171, 185, 263 to 266, 268, 302, 318, 432, 434, 453, 479, 516 and 517, 535, 536, 570, 576 or 582, 605, 624, 626, 628, 642, 646, 659, 661, 677 to 679, 684 to 687, 688, 737, 825, 826, 828, 875, 876, 888, 894, 907, 967, 1001 or 1002, 1009, 1010, 1011, 1016, 1092, 1110, 1111, 1113, 1141, 1142, 1291. *Mixed Greenhouse Seeds, 1s. per packet.*

V. *Stove Seeds.*—Nos. 60, 129, 151, 177, 216 to 254, 299, 353, 435, 500, 518, 551, 567, 574, 578, 605, 637, 886, 887, 1039, 1040. *Mixed Hathouse Seeds, 1s. per packet.*

* * * *Some hardy Annuals, as Calliopsis, 188 to 196, flower earlier and are more certain when treated as half-hardy; some are also proper for the greenhouse, as Brachycome, Phlox, &c. &c. Many of the Stove Seeds, as Canna, raised on strong heat, flower splendidly in the open borders when planted out in May and also in the greenhouse.*

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushcl.	Price.
	<i>See note end of page 32.</i>				
3 and 4	Artichoke, green per oz.	s. d. 9	3 to 5	Broccoli, Impregnated wh. p. oz.	1 0
	purple "	9		Invisible "	1 0
	Asparagus, oz. 2d. per lb.	2 0		Knight's self-protecting "	1 0
11 to 6	Beans, <i>early sorts</i> per qt.			Lake's white "	1 0
	earliest dwarf Fan "	6		large Cornish "	1 6
	early Mazagan "	6		— Spring white "	1 0
	— Lisbon "	6		— — purple "	1 0
	— long-pod "	6		— Truro "	1 6
	green long-pod "	6		— white "	1 0
	Johnson's Wonderful "	6		late Cape "	1 0
	<i>Later sorts.</i> per qt.			— close-headed "	1 0
1 to 5	Token or intermediate "	6		— purple "	1 0
	large Windsor "	6		— white "	1 0
	Taylor's do. "	6		London Particular "	1 6
	thick-seeded do. "	6		Miller's dwarf white "	1 0
	green do. "	6		new Victoria "	1 6
4 to 6	Beet, fine large red per oz.	3		Portsmouth "	1 0
	new German "	4		Potter's new pink "	1 6
	new black "	4		Snow's superb "	1 6
	new crimson "	4		very late dwarf Danish "	1 0
	green "	3		white Southampton "	1 0
	silver or Spinach Beet "	3		Wileove's large white "	1 0
	white "	3		Winter Imperial "	1 6
	Silesian sugar p. lb. 2s. "	2		1 oz. 8 best for succession	8 0
4 to 5	Borecole, or Kail per oz.			1 " 4 do. do.	4 0
	dwarf green curled "	3		$\frac{1}{2}$ " 8 do. do.	4 6
	tall " "	3		$\frac{1}{2}$ " 4 do. do.	2 6
	dwarf brown " "	3	3 to 5	Brussels Sprouts per oz.	6
	Buda "	3		imported Belgian "	1 0
	new Asparagus "	6	3 to 9	Cabbage, Atkins' Matchless "	6
	Jerusalem "	3		Carter's Matchless "	1 0
	Ragged Jack "	3		early Emperor "	6
	purple "	3		— dwarf "	6
	variegated "	6		— East Han "	6
3 to 5	Broccoli, early pnr. Cape per oz.	1 0		— Enfield "	6
	early green Cape "	1 0		— London "	1 0
	— white Cape "	1 0		— Nonpareil "	6
	— Cauliflower "	1 0		— Sugar-loaf "	6
	— close-headed "	1 0		— Wonder "	6
	— Grange's "	1 0		— York "	6
	— Malta "	1 0		large Heartshaped "	6
	— October "	1 0		— Imperial "	6
	— purple "	1 0		— Pomeranian "	1 0
	— sprouting "	1 0		— York "	6
2 to 9	— Walcheren "	1 6		largest Drumhead "	3
3 to 5	— white "	1 0		— Scotch "	3
	Adams' new dwarf "	1 6		King of the Cabbages "	1 0
	American, extra "	1 6		Shilling's Queen "	1 0
	Brimstone "	1 0		Spotboro' "	6
	Chappel's cream "	1 0		Vanack "	6
	dwarf Russian "	1 0		Wellington "	6
	— Siberian "	1 0		dwarf red pickling "	6
	Ellison's gigantic "	2 6		large red "	6
	Field's new white "	1 6		1 oz. 8 finest for succession	5 0
	Hampshire green "	1 0		$\frac{1}{2}$ " 8 do. do.	2 6
	Hampton Court "	1 0		Savoy, dwarf green per oz.	6
	Howden's superb "	1 6		— Drumhead "	6

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
3 to 9	Cabbage, Savoy, globe per oz.	s. d. 6	1 to 10	Cucumbers:	s. d. 6
	— yellow "	6		Hero of Surrey per pa.	1 0
	Braganza "	1 0		Laneashire Giant "	1 0
	Couve Tronehuda "	1 0		Manchester Prize "	6
	— new eurled "	1 0		Man of Kent "	6
	Choude Milan, imported, "	1 0		Mills's Jewess "	6
	Colewort (for greens) "	1 0		New early Prolifie "	1 0
1 to 10	Carrot, early Horn per oz.	3		Norfolk Champion "	1 0
	early scarlet frame "	3		*Sion House "	6
3 to 5	long Surrey "	3		Snow's white spine "	1 0
	— orange "	3		Stewart's Ringleader "	1 0
	— Studley "	3		*Weedon's frame "	6
	largest Altrineham "	3		Victory of Bath "	1 0
	white Belgian "	2		Victory of England "	6
1 to 4 and in August	Cauliflower, early English "	1 6		Walker's Prize "	6
	late English "	1 6		*Walker's superb "	1 0
	— Asiatic "	1 0		*Weedon's frame "	6
	— Cyprus "	1 0		Young's Champion "	6
	Popart's new early "	1 6		6 finest varieties "	5 0
	Radford's largest "	1 6	5 to 8	Endive, green eurled per oz.	6
	Pitche's early London "	1 6		white eurled "	6
	— new late "	1 6		Batavian, green "	6
	Walcheren "	2 0		— white "	6
	black Stiellian "	1 6		new German "	6
	1 oz. 4 best for succession "	5 0	1 to 8	French beans, dwarf dun, p. qt.	1 0
	½ " 4 do. do. "	2 6		dwarf Canterbury "	1 0
5 to 6	Cardoon, Spanish per oz.	6		*— dark dun "	1 0
	new large purple "	1 0		*— Fulmer's forcing "	1 0
3 to 5	Celery, solid white "	3		*— Negro "	1 0
	solid red "	3		— Negro Major "	1 6
	Manchester Giant "	4		— speckled "	1 0
	Giant red "	4		— Turkey "	1 0
	Giant white "	4		tall or Searlet Runners "	1 0
	Jones' Matchless "	4		— French Haricots "	1 6
	Law's white Giant "	4		— Painted Lady "	1 6
	Paw-leaved "	4		— round Turkey "	1 6
	Seymour's white "	4	3 to 5	Ice plant per pa.	3
	Wheeler's new pink "	4	4 to 5	Indian Corn, mixed "	3
	large-rooted Celeriac "	3	3 to 5	Leek, London Flag per oz.	6
	Chervil, curled "	3		new Giant "	1 0
5 to 7	Corn Salad "	3	1 to 8	Lettnce, Cos, Ady's "	1 0
1 to 12	Cress, common per qt.	1 0		Cos, Artichoke-leaved "	1 0
	triple eurled "	1 6		*— Bath "	1 0
	golden per oz.	2		*— black-seeded Bath "	1 0
	Normandy "	2		*— broad-leaved Bath "	1 0
	perennial American "	3		— blood "	1 0
	Water-eress per pa.	6		— Brighton "	1 0
1 to 10	Cucumber, fine frame "	6		*— brown "	1 0
4 to 6	long prickly, peroz. 1s. "	3		*— Egyptian "	1 0
	long Ridge "	3		— Florence "	1 0
	extra fine do. "	6		— green "	1 0
	Rochford "	3		— Nonpareil, white "	1 6
	Stockwood, extra "	6		— — green "	1 6
	short prickly "	3		— Paris "	1 0
	Turkey "	3		— Snow's Matchless "	1 6
	Prize varieties, per packet "	6		— spotted "	1 0
* Best for Autumn Sowing.	Bathonian "	6		— white "	1 0
	Carter's white spine "	1 0		*— winter "	1 0
	*Colney Hatch, extra "	1 0		1 oz. 6 best sorts "	6 0
	*Cuthill's black spine "	6		½ " 6 do. do. "	3 0
				Cabbage, white per oz.	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
1 to 8 *Best for Autumn Sowing to stand the Winter.	Lettuce, Cabbage, Endive-ld. oz.	s. d. 1 0	11 to 5	Peas: *Champ. of Engl. 3 p. qt.	2 0
	— Asiatic "	1 0		Bishop's early dwarf, 1 "	1 0
	— Belle Garde "	1 0		— new long-podded "	2 0
	*— brown Dutch "	1 0	1 to 6	II. <i>Later solds.</i>	
	— Blonde de Versailles "	1 0		Marrow, new Lincoln 3 "	1 6
	— Drumhead "	1 0		— early gr.-seeded "	9
	— Grand Admiral "	1 0		† dwarf white "	9
	*— hardy Hammersmith "	1 0		— dwarf green "	9
	— Imperial "	1 0		†— matelless green 5-6 "	1 0
	— Magnum Bonum "	1 0		— tall white "	9
	— Malta "	1 0		— tall green "	9
	— Marscilles "	1 0		— Ringwood Marrow 3 "	9
	— Mogul "	1 0		†— Royal Victoria 5-6 "	1 0
	*— new Winter "	1 0		— Woodford's green 3 "	1 0
	— pink-edged "	1 0	1 to 6	III. <i>Wrinkled Marrows.*</i>	
	*— Turkey "	1 0		British Queen 5-6 "	2 0
	*— Tennis-ball "	1 0		†Carter's Victoria 4-5 "	2 6
	*Silesian, brown "	1 0		Knight's dwarf white 3 "	2 0
	*— white "	1 0		— dwarf green "	2 0
	I oz. 6 finest sorts	5 0		†— tall white 4-6 "	2 0
$\frac{1}{2}$ " 6 do. do.	2 6		— tall green "	2 0	
4 to 5	Love apple (Tomato), red "	1 0	†Waite's King of the Mar. "	5 0	
	yellow "	1 0	IV. <i>Various Peas.</i>		
3 to 6	Mallow, garnishing per pa.	3	Bedman's Imperial 3 "	9	
1 to 12	Mustard, white per qt.	1 0	Blue Eclipse, 15 inches "	2 0	
3 to 6	Onion, blood-red per oz.	4	— Prussian 3 "	8	
3 to 5 *Best for Autumn Sowing.	Globe "	6	Carter's Colossus 4-5 "	1 6	
	— new white "	6	— Lilliputian 1 "	2 0	
	James's keeping "	6	Flack's Victory 3 "	9	
	*Lisbon "	4	Glory of England "	1 0	
	*new Giant "	8	Groom's Superb $1\frac{1}{2}$ "	1 0	
	Pickling "	8	Queen of the Dwarfs 1 "	2 0	
	Portugal, white "	4	Scimitar 3 "	9	
	*Reading "	4	Sugar (eatable pods) 4 "	1 6	
	Silver-skinned "	8	10 fine for sue. 1 qt. each	14 0	
	*Spanish, white "	4	10 do. do. 1 qt. "	7 0	
— brown "	4	6 newest sorts 1 qt. "	14 0		
*Strashurg "	4	6 do. do. 1 pt. "	7 0		
8 to 9	*Tripoli, large "	8	** <i>The Wrinkled Marrows.</i>		
2 to 6	*Two-bladed early "	6	No. III., form a distinct class,		
8 to 9	Welch "	3	and can be highly recommended.		
	6 finest sorts, 2 oz. each	6 0	<i>Carter's Victoria Marrow</i>		
	6 do. do. 1 do.	3 0	<i>is warranted the largest and</i>		
4 to 8	Parsley, extra curled per oz.	3	<i>finest-flavoured of all the white</i>		
	Myatt's garnishing "	3	<i>Peas. Waite's King of the</i>		
	Usher's superb, new "	6	<i>Marrows is an extraordinary</i>		
	large-rooted Hamburg "	3	<i>large new green variety of first-</i>		
3 to 5	Parsnip, best large "	3	<i>rate quality. * Fairbeard's</i>		
	Peas: <i>the usual height in feet.</i>		<i>Champion of England, see I,</i>		
11 to 5	I. <i>Earliest sorts.</i> p. qt.		<i>though very early, belongs also</i>		
	Warner's Emperor 3 "	1 0	<i>to this class. † Best for the</i>		
	Prince Albert "	1 0	<i>latest crop.</i>		
	early frame "	8			
	— Kent "	8	2 to 5	Potato, early per pa. 4d. p. oz.	1 0
	— May "	8		late " 4d. "	1 0
	— Warwick "	8		Silver-skin " 1s. "	3 6
	— Charlton "	8	1 to 12	Radish, long frame per qt.	2 0
	Auvergne "	1 0		Wood's new frame "	2 0
	*Fairbeard's Surprise "	2 0		early searlet "	2 0

